


We claim:

- Sub
A
- (1.) A pharmaceutical composition comprising:
(a) a therapeutically effective amount of the compound of formula I



- 5
- (b) an oil component selected from the group consisting of mono-, di-, tri-glyceride or a mixture thereof wherein the monoglyceride and diglyceride are mono- and di-unsaturated fatty acid esters of glycerol having sixteen to twenty-two carbon atom chain length, wherein triglyceride is a saturated fatty acid ester of glycerol having six to twelve carbon atom chain length,
- 10 (c) an emulsifying agent consisting of lecithin, and
(d) a liquid phase comprising one or more pharmaceutically acceptable solvents.
- 15 2. A pharmaceutical composition of claim 1 wherein the pyranone compound of formula I is in an amount of from about 1% to about 20% by weight of the total composition.
- 20 3. A pharmaceutical composition of claim 1 wherein the pyranone compound of formula I is in an amount of from about 2% to about 15% by weight of the total composition.
- 25 4. A pharmaceutical composition of claim 1 wherein the lecithin is yolk lecithin or soybean lecithin.
5. A pharmaceutical composition of claim 1 wherein the lecithin is a synthetic nontoxic didecanoyl phosphatidycholine, dilauroyl phosphatidycholine, dimyristoyl phosphatidycholine, dipalmitoyl phosphatidycholine or a mixture thereof.

6. A pharmaceutical composition of claim 1 wherein the lecithin is in an amount of from about 0.5% to about 20% by weight of the total composition.

7. A pharmaceutical composition of claim 1 wherein the lecithin is in an amount of from about 1% to about 10% by weight of the total composition.

8. A pharmaceutical composition of claim 1 wherein the lecithin is in an amount of from about 2% to about 5% by weight of the total composition.

9. A pharmaceutical composition of claim 1 wherein the oil component is in an amount of from about 5% to about 40% by weight of the total composition.

10. A pharmaceutical composition of claim 1 wherein the oil component is in an amount of from about 10% to about 30% by weight of the total composition.

11. A pharmaceutical composition of claim 1 wherein the oil component is in an amount of from about 10% to about 20% by weight of total composition.

12. A pharmaceutical composition of claim 1 wherein the oil component is triglyceride.

13. A pharmaceutical composition of claim 1 wherein the oil component is a mixture of diglyceride and monoglyceride in a ratio of from about 9:1 to about 1:9 by weight.

14. A pharmaceutical composition of claim 1 wherein the oil component is a mixture of diglyceride and monoglyceride in a ratio of from about 8:2 (diglyceride : monoglyceride) by weight.

15. A pharmaceutical composition of claim 1 wherein the oil component is a mixture of diglyceride and triglyceride in a ratio of from about 9:1 to about 1:9 by weight.

16. A pharmaceutical composition of claim 1 wherein the oil component is a mixture of diglyceride and triglyceride in a ratio of from about 2:8 (diglyceride : triglyceride) by weight.

17. A pharmaceutical composition of claim 1 wherein the oil component is a mixture of monoglyceride, diglyceride and triglyceride in a ratio of from about 1 to about 8 parts of diglyceride per 10 parts of the mixture, about 1 to 5 parts of
5 monoglyceride per 10 parts of the mixture, and about 1 to about 8 parts of triglyceride per 10 parts of the mixture.

18. A pharmaceutical composition of claim 1 wherein the pharmaceutically acceptable solvent is propylene glycol, polyethylene glycol, glycerol, triacetin, dimethyl
10 isosorbide, glycofurol, propylene carbonate, ethanol, water, dimethyl acetamide or a mixture thereof.

claim 1
19. A pharmaceutical composition of claim 1 wherein the pharmaceutically acceptable solvent is propylene glycol, water or a mixture thereof.
15

20. A pharmaceutical composition of claim 1 wherein the pharmaceutically acceptable solvent is water.

Sub A 8
20 *add A 4*
21. A pharmaceutical composition of claim 1 which is administered orally or parenterally.